5/425

DART AEROSPACE	LTD	Work Order:	22405
Description: Beam Asse	embly	Part Number:	D3173-041
	£ ,		
Dwg: D3173 Rev. B	4	Qty:	1
			Page 1 of 1

Step	Location	Procedure	By∧	Date	Qty
1	DC	Issue Traveler	199	05,02.14	1
2	GA	Cut blank: 56" long Material: 6061-T6 (QQ-A-200/8) Rect. Tube 4" x 2" x 0.125 thick (M6061T6TR4.0x2.0W125)	JL	05/06/23	1
3	MV	Machine holes as per Folio FA295 and Dwg D3173 Identify as D3173-1	JL	05/06/24	1
4	QC2	Inspect parts as they come off the CNC machine.	J.L	05/06/24	1
5	MV	Deburr	ユレ	22/06/24	1
6	QC8	Second inspection	12.1	05 06:24	//
7	GA	Drill Ø0.316" holes as per Dwg D3173	m	05-08-15	1
. 8	GA	C'sink holes as per Dwg D3173	ml	05-08-15	1
9	QC5	Inspect work to Step 8		05.05.13	1
10	129	Chemical Conversion Coat per QSI 005 4.1	FC	05 12 06	1
11	GA	Pick K10017. Install Nut Plate as per Dwg D3173. D3178-041 is included in K10017 BOM. Pick: Oty Part Number Description Batch	•		
		2 D3178-041 Nut Plate <u>B 1 1 400</u> 8 MS20601AD4W4 Rivet <u>H 15 6 / 1</u>	FE	05.12.06	
12	QC5	Inspect work to Step 11	Z	05-12-06	1
13	FP	Powder Coat Gloss White (Ref. 4.3.5.1) per QSI 005 4.3 Ensure Nut Plate thread is covered.	FC	05 D 07	7
14	QC3	Inspect Powder Coat	M	05 12 07	1
15	GA ,	Assemble per Dwg D3173. Install Mounting Lug as per Dwg D3173. D3175-041 is included in K10017 BOM. Pick:			-
	Berjamen (G. 7)	Oty Part Number Description Batch 2 D3175-041 Mtg Lug \$\mathcal{B} \text{-409}\$ 8 AN3-5A Bolt \$\mathcal{H} \text{-145}\$ 2 AN5-23A Bolt \$\mathcal{H} \text{-155}\$ 8 AN960JD10 Washer \$\mathcal{H} \text{-1835}\$ 4 AN960JD516 Washer \$\mathcal{H} \text{-1835}\$ 2 MS21042L5 Nut \$\mathcal{H} \text{-165}\$	SB	5/1/07	(
16	QC5	Inspect work to Step 15	1	05.12.07	1
17	PK	Identify as D3173-041 and Pack with D130-701-041	69	05112109	7
18	AC	•		05-12-13	
19	DC	Close W/O Inspect Level 21		05/12/13	1:0

Revised By Approved

KJ/RF

RELEASE)

AW 431

Change

New issue

Rev

Date

02.12.05

W/O:		WORK ORDER CHANGES						
DATE STEP		PROCEDURE CHÂNGE	Ву	Date	Qty	Approval Mfg / Design Mgr	Approval QC Inspector	
65-66-B	. 7	liple change too buy 03173 for sicle holes. (missing one hole that passes right through. Dermanent Change				65.12.13 0 4 951 018	45-05:13	
es-01:13	70_	Dept Change - formount Change		,	6		To a superior	

NCR:		WORK ORDER NON-CONFORMANCE (NCR)							
DATE STEP		Description of NC		Corrective Action Section B		Verification	Approval	Approval	
		Section A	Initial Action Description Sign & Design Mgr Date		Section C	Design Mgr	QC Inspector		
US.66.24	3	Holes drilled on side face of boom instead of top face.	P	Drill holes in correct location, Fill incorrect holes with weld and grind flush, Ensure sorface is smooth with nu pitting	05-09+	3 05/09/13	65.07.173 P# 951642	05-09.12	

Part No:	PAR #:	Fault Category:	NCR:	Yes No DQA:	Date: <u>05/12/13</u>
NOTE: Date & initial all entries				QA: N/C Closed:	Date:

D3065-5DART AEROSPACE LTD	Work Order:	22405
Description: Beam	Part Number:	D3173-1
Inspection Dwg: D3173 Rev: B		Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

X First Article Prototype							
Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments	
56.00	+/-0.030	56.020			m-lape		
23.629	+/-0.010	23 630					
15.33	+/-0.030	15.340					
2.00	+/-0.030	2.020			Jern		
4.00	+/-0.030	4-005			UEFH		
0.500	+/-0.010	. <u>505</u>	1,		cern		
1.720	+/-0.005	1.721	/,		vern		
1.000	+/-0.005	1.002			vern	÷	
0.860	+/-0.005	-861			Vern		
Ø0.203	+0.005/-0.000	- 205			vesn		
Ø0.129	+0.005/-0.000	./30			ven	·	
~							
		344					
		, # &·					
		7.3% A.					
		{ -					
	.,	,					

Measured by: J.L Audited by:	Prototype Approval: N/A
Date: 05/06/24 Date: 65.	Date: N/A

Rev	Date	Change	Plo D3173-041	Revised by	Approved
Α	04.02.25	New Issue		KJ/RF	14

RELEASED





DESIG	m Cp	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECK	(ED,	APPROVED	DRAWING NO. D3173 SHEFT	REV. B
DATE	114	- गम	TITLE SHEET	1 OF 3 SCALE
03.0	1.07		BEAM ASSEMBLY	NTS
Α		02.12.03	NEW ISSUE	
В		03.01.07	REMOVE PIP PINS	

PARTS LIST

QTY	PART NUMBER	DESCRIPTION
Х	D3173-041	BEAM ASSEMBLY
		·
1	D3173-1	BEAM
2	D3175-041	MOUNTING LUG
2	D3178-041	NUT PLATE
8	AN960JD10	WASHER
4	AN960JD516	WASHER
2	MS21042L5	NUT
8	MS20601AD4W4	RIVET
8	AN3-5A	BOLT
2	AN5-23A	BOLT


NOTES

D3173-1 BEAM:

- 1) PART IS SYMMETRICAL ABOUT CENTERLINE
- 2) MATERIAL: 6061-T6 RECTANGULAR TUBING, 4" x 2" x 0.125" WALL (QQ-A-200/8) (REF DART SPEC. M6061T6TR4.0x2.0W125
- 3) BREAK ALL SHARP EDGES 0.010-0.020
- 4) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1 POWDER COAT WHITE (4.3.5.1) PER DART QSI 005 4.3 OUTSIDE ONLY
- TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 6) ALL DIMENSIONS ARE IN INCHES

SHOP COPY RETURN TO ENGINEERING COPY COMENT ::0:










١.	DESIGN DRAWN BY		DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA		
)	CHECKED ,	APPROVED	DRAWING NO.	REV. B	
	4	#	D3173	SHEET 3 OF 3	
	DATE	<u> </u>	TITLE	SCALE	
	03.01.07		BEAM ASSEMBLY	1:8	



Copyright © 2002 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

Job Costing Report

Dart Aerospace Ltd.	Feb 14, 2005
Hawkesbury	07:34 am

	A*.			
Work Order No : 0022405	\vec{L}			٠.
Project Name : D3173-041	,	Department Code	e :	
Project For : WK516	4	Burden Flags	:	NNNNNN
Work Order Type : /Mai/n		WO Status	:	Open
Main WO Number : Main wo	·	· Invoice State	:	Not Invoiced
House Part Number ; D3173-041	*	Invoice Date	:	
Description : Beam Assembly	ω^{γ}	Invoice Number	:	
Manufactured : Yes	7	Invoice Amount	:	0.00
Amount Req'd: 1	•			
Amount Done : 0		Order Entry No	:	
Start Date : 02-11-05	· ,	OE Value	:	0.00
Est Finish Date : 04-04-05	•			
Act Finish Date :	1	Est Margin	:	0.000%
Drawings Reqd : No	**************************************	Actual Margin	:	0.000%
Ole for Approval	,	•		

Ok for Approval : \$0 Posted to Finished Goods

	Estim	ated	Actual	۷ar. %	Posted	To Post
Material Cost	======= :	0.00	0.00	0.00	0.00	0.00
Engineering Hours		0.00	0.00	0.00		
Engineering Cost		0.00	0.00	0.00	0.00	0.00
Production Hours		0.00	0.00	0.00	<i>t</i>	
Production Cost	:	0.00	0.00	0.00	0.00	0.00
Packaging Hours	:	0.00	0.00	0.00		
Packaging Cost	:	0.00	0.00	0.00	0.00	0.00
OverHéad Hours	:	0.00	0.00	0.00		
OverHead Cost	:	0.00	0.00	0.00	0.00	` 0.00
CNC Hours	:	0.00	0.00	0.00		* %
CNC	:	0.00	0.00	0.00	0.00	0.00
Misc. Hours	:	0.00	0.00	0.00		
Misc.	:	0.00	0.00	0.00	0.00	0.00
	=====	====	========	======	•	
Burden ,'	:	0.00	0.00	0.00		
	=====	====	========	======		·
Total, Cost	· : .	0.00	0.00	0.00		
Margin	: 0	.000	0.000			
Selling Cost	:	0.00	0.00			

•		Estimated	Actual
Labour Hrs/Amount Done	:	0.00	0.00
Profits/(Loss)	:	0.00	0.00

Chris Provencal

From:

"David Shepherd" <davids@dartaero.com>
"Chris Provencal" <chrisp@dartaero.com>

To:

Sent:

July 12, 2005 5:15 PM

Subject:

Re: BEAM.jpg

Chris,

This is an acceptable repair for this part.

David

---- Original Message -----From: Chris Provencal To: David Shepherd

Sent: Tuesday, July 12, 2005 2:36 PM

Subject: BEAM.jpg

D3173-041 BEAM ASSEMBLY

Holes were accidently drilled on the side face, full size, both attachment locations, centered on the neutral axis. They were filled with weld. I noticed one of the welds has a small cavity (beam2.jpg), I would need them to fix that.

Is this acceptable?

-Chris



Job Costing Report

Dart Aerospace Ltd. Hawkesbury

Nov 08, 2005 10:12 am

Work Order No	: 0022405	
	· · · · · · · · · · · · · · · · · · ·	
Droject Name	· D3173~041	Department Code:

Project Name : D3173-043
Project For : WK516
Work Order Type : Main
Main WO Number : Burden Flags : NNNNNNN WO Status : Open

Invoice State : Not Invoiced

House Part Number: D3173-041 Invoice Date : Description : Beam Assembly Invoice Number :

Manufactured : Yes Invoice Amount : 0.00

Amount Req'd : 1
Amount Done : 0 Order Entry No :

OE Value : 0.00

Start Date : 02-11-05 Est Finish Date : 04-04-05

Est Margin : 0.000% Act Finish Date : Drawings Reqd : No Actual Margin : 0.000% Ok for Approval :

Approval Rec'd : \$0 Posted to Finished Goods

		Estimated	Actual	Var. %	Posted	To Post
=======================================	===	=========	=========	========		=======================================
Material Cost	:	0.00	0.00	0.00	0.00	0.00
Engineering Hours	:	0.00	0.00	0.00		
Engineering Cost	:	0.00	0.00	0.00	0.00	0.00
Production Hours	:	0.00	4.72	100.00		
Production Cost	:	0.00	87.81	100.00	0.00	87.81
Packaging Hours	:	0.00	0.00	0.00		
Packaging Cost	:	0.00	0.00	0.00	0.00	0.00
OverHead Hours	:	0.00	0.00	0.00		
OverHead Cost	:	0.00	0.00	0.00	0.00	0.00
CNC Hours	:	0.00	2.00	100.00		
CNC	:	0.00	0.00	0.00	0.00	0.00
Misc. Hours	:	0.00	0.00	0.00		į.
Misc.	:	0.00	0.00	0.00	0.00	0.00
		========	========	======		
Burden	:	0.00	0.00	0.00		
		=======	=======	======		
Total Cost	:	0.00	87.81	100.00		
Margin	:	0.000	0.000			
Selling Cost	:	0.00	87.81			

Estimated Actual Labour Hrs/Amount Done : 0.00 0.00 Profits/(Loss) : 0.00 (-87.81)

MIS 8/B

Page 1

Monday, 14/11/2005 8:44:48 AM

User:

Alba Panzuto

Process Sheet

: CU-DAR001 Dart Helicopters Services Customer

Job Number : 22405 : 10407 **Estimate Number**

P.O. Number This Issue

Previous Run

Prsht Rev.

Written By

Comment

: 14/11/2005

S.O. No. :

: NC

First Issue

Checked & Approved By

: //

Type

: MACHINED PARTS

: Est. A 02.12.05 New issue KJ/RF

Part Number

Drawing Name

: D3173041

Drawing Number

: D3173 REV B

: BEAM ASSEMBLY

Project Number

: B **Drawing Revision**

Materiai

Due Date

: 30/11/2005

Qty:

Each 1 Um:

Additional Product

Job Number:



Seq. #:

Machine Or Operation:

Description:

6061-T6 Rect Tube W.125

1.0 2.0

M6061T6TR40X20W125

BAND SAW

Comment: BAND SAW

BAND SAW

Cut blank: 56" long

Machine holes as per Folio FA295 and Dwg D3173

Identify as D3173-1

3.0

QC2

INSPECT PARTS AS THEY COME OFF MACHINE





Comment: INSPECT PARTS AS THEY COME OFF MACHINE

4.0

SMALL FAB 1

SMALL & MEDIUM FAB RESOURCE 1





Comment: SMALL & MEDIUM FAB RESOURCE 1

Deburr

QC8

5.0

SECOND CHECK





Comment: SECOND CHECK

6.0

SMALL FAB 1

SMALL & MEDIUM FAB RESOURCE 1







Comment: SMALL & MEDIUM FAB RESOURCE 1

Drill Ø0.316" holes as per Dwg D3173

C'sink holes as per Dwg D3173

Date: ≱ser:

Monday, 14/11/2005 8:44:48 AM

er: Alba Panzuto

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: BEAM ASSEMBLY

Job Number: 22405

Part Number: D3173041

Job Number:



Seq. #:

Machine Or Operation:

Description:

7.0

QC5

INSPECT WORK TO CURRENT STEP





Comment: INSPECT WORK TO CURRENT STEP

8.0

HAND FINISHING1

HAND FINISHING RESOURCE #1





Comment: HAND FINISHING RESOURCE #1

Chemical Conversion Coat as per QSI 005 4.1

9.0 D3178041 10.0 MS20601AD4W4 Nut Plate

Rivet

11.0 QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

12.0

POWDER COATING

POWDER COATING




Comment: POWDER COATING

Powder Coat Gloss White (Ref: 4.3.5.1) per QSI 005 4.3

Ensure Nut Plate thread is covered.

13.0

20.0



Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION

14.0	D3175041	Mounting Lug
15.0	AN35A	Bolt
16.0	AN523A	Bolt
17.0	AN960JD10	Washer
18.0	AN960JD516	Washer
19.0	MS21042L5	Nut



SMALL FAB 1



Comment: SMALL & MEDIUM FAB RESOURCE 1

Assemble per Dwg D3173.

Install Mounting Lug as per Dwg D3173. D3175-041 is included in K10017 BOM.

Date: ⊌ser:

Monday, 14/11/2005 8:44:48 AM

Alba Panzuto

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: BEAM ASSEMBLY

Job Number: 22405

Part Number: D3173041

Job Number:



Seq. #:

Machine Or Operation:

Description:

21.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

22.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify as D3173-041 and Pack with D130-701-041

Location:

23.0

DC

DOCUMENT CONTROL



Comment: DOCUMENT CONTROL

Inspection Level 21

Job Completion

